

Unattended Payments from ADVAM – changing the way consumers make self-service payments



With consumers increasingly preferring a more convenient way to pay, particularly on lower value, instant purchases, it's time to consider switching to Unattended Payments from ADVAM.



Reliable. Efficient. Secure

ADVAM Unattended Payments Solutions



The core is technology, the key is expertise

Our range of payment terminals for parking and self-service industries enable our clients to eliminate the burden of cash handling, increase operational efficiency, reduce cost of vandalism and increase revenue.

Our Non-CVM range allows easy and secure integration of contactless payment into parking and self-service businesses.



24/7 Support



PCI DSS Compliant
– tested to Level 1



EMV Certified



Highly protected payment terminals with an IK10 impact rating and ingress protection rating of up to IP65



Multi-machine or single machine integration ready solutions



Trusted by businesses. Used by major airports, shopping centers and parking operators all over the world

Every day, ADVAM delivers world leading payment solutions, processing millions of transactions through our ADVAM Gateway for our clients and their customers – reliably, efficiently and securely.

Support features

- Remote software updates
- PCI compliance updates
- Equipment monitoring
- 24/7 telephone support
- Account management

Administration portal

Functionalities

- Cloud-based access
- Manage and refund transactions

Reporting

- Detailed and summary reports
- Access to custom reports
- Billing reconciliation reports

Ability to search for transactions by:


- Reference
- Credit card
- Receipt
- Date

Scheme certifications

- Visa (credit/debit)
- Mastercard (credit/debit)
- American Express
- Diners
- Discover
- JCB

Mobile wallets

- Apple Pay
- Samsung Pay
- Google Pay



Non-CVM payment terminals

Card readers

Controller



Payment terminal technical specifications

	iUR255	iUC150B	iUC280	iUC285	iUI120
Payment method					
Contactless	○	●	●	●	n/a
NFC	○	●	●	●	n/a
EMV chip	●	○	●	●	n/a
Magstripe	●	○	●	●	n/a
Integration APIs					
ADVAM serial	n/a	n/a	n/a	●	●
Pulse	n/a	n/a	n/a	○	●
MDB	n/a	n/a	n/a	○	●
Protection					
Ingress protection	IP34	IP65	IP54	IP54	n/a
Shock protection	IK10	IK10	IK10	IK10	n/a
Compliance					
PCI PTS certification	4.x	4.x	4.x ready	4.x	n/a
EMV compliant	●	●	●	●	n/a
Environmental standards	ISO 14001	ISO 14001	ISO 14001	ISO 14001	ISO 14001
Technical					
Communication	n/a	n/a	n/a	n/a	Ethernet
4G compatible	n/a	n/a	n/a	n/a	●
RS232	n/a	n/a	n/a	●	●
MDB	n/a	n/a	n/a	n/a	●
Powered USB	n/a	n/a	n/a	n/a	●
General					
Size in mm (w x h x d)	108 x 73 x 148	73 x 61 x 23	85 x 110 x 60	85 x 107 x 60	120 x 134 x 62
Cut-out in mm (w x h)	74 x 62	73 x 61	107 x 85	85 x 107	
Weight (g)	700	87	270	270	620
Display	No display	No display	Color backlit	Color backlit	n/a
Operating/Storage temperature	- 4°F to 149°F	- 4°F to 149°F	- 4°F to 149°F	- 4°F to 149°F	- 4°F to 149°F
Relative humidity, non condensing	85% HR at +131°F	85% HR at +131°F	90% HR at +131°F	90% HR at +131°F	90% HR at +131°F

Specifications subject to change without notice.

Note: Please visit www.advam.com/glossary for the definitions of the terminologies.

Product configurations

Product configurations



iUC285
Standalone contactless,
swipe and insert card reader



iUC150B
Contactless card reader

+



iUR255
Contact insert card reader

+



iUI120
Controller





iUC280
Standalone contactless,
swipe and insert card reader

+



iUI120
Controller





sales-us@advam.com | +1 703 592 1251

advam.com