UnattendedPayments from ADVAM – changing the way consumers make self-service payments



With consumers increasingly preferring a more convenient way to pay, particularly on lower value, instant purchases, it's time to consider switching to UnattendedPayments from ADVAM.





Every day, ADVAM delivers world leading payment solutions, processing millions of transactions through our ADVAM Gateway for our clients and their customers – reliably, efficiently and securely.

Support features

- Remote software updates
- PCI compliance updates
- Equipment monitoring
- 24/7 telephone support
- Account management

Administration portal

Functionalities

- Cloud-based access
- Manage and refund transactions

Reporting

- Detailed and summary reports
- Access to custom reports
- Billing reconciliation reports

Ability to search for transactions by:

- Reference
- Credit card
- Receipt
- Date

Scheme certifications

- Visa (credit/debit)
- Mastercard (credit/debit)
- American Express
- Diners

Mobile wallets

- Apple Pay
- Samsung Pay
- Google Pay



ADVAM UnattendedPayments Solutions



The core is technology, the key is expertise

Our range of payment terminals for parking and self-service industries enable our clients to eliminate the burden of cash handling, increase operational efficiency, reduce cost of vandalism and increase revenue.

Our CVM and Non-CVM payment terminals allow easy and secure integration of contactless payment into parking and self-service businesses.



Multi-machine or single machine integration ready solutions

Trusted by businesses. Used by major airports, shopping centres and parking operators all over the world

(G)

$\ensuremath{\mathsf{CVM}}$ and $\ensuremath{\mathsf{Non-CVM}}$ payment terminals overview

		and the same of th		183 c. 450 c. 780 c.
Payment terminal technical specifications	iUC180B	iUC150B	iUR255/iUR250**	iUP250
Payment method				
Contactless	•	•	0	•
NFC	•	•	0	•
EMV chip	0	0	•	•
Magstripe	0	0	•	•
Integration APIs				
ADVAM serial	•	n/a	n/a	•
Pulse	•	n/a	n/a	•
MDB	•	n/a	n/a	•
Protection				
Ingress protection	IP65	IP65	IP34	IP65
Shock protection	IK10	IK10	IK10	IK10
Compliance				
PCI PTS certification	3.x	4.x	4.x	3.x
EMV compliant	•	•	•	•
Environmental standards	ISO 14001	ISO 14001	ISO 14001	ISO 14001
Technical				
Communication	Ethernet	n/a	n/a	Ethernet
4G compatible	•	n/a	n/a	•
RS232	•	n/a	n/a	•
MDB	•	n/a	n/a	•
Powered USB	•	n/a	n/a	•
General				
Size in mm (w x h x d)	120 x 134 x 62	73 x 61 x 23	108 x 73 x 148	132 x 123 x 46
Cut-out in mm (w x h)	107 x 85	73 x 61	74 x 62	86.5 x 108.5
Weight (g)	620	87	700	700
Display	Colour backlit	No display	No display	Colour backlit
Operating/Storage temperature	- 20°C to 65°C	- 20°C to 65°C	- 20°C to 65°C	- 20°C to 65°C
Relative humidity, non condensing	90% at +55°C	85% at +55°C	85% at +55°C	85% at +55°C

Card readers

Pin pad

Specifications subject to change without notice.

^{**} Must be used with a pin pad.

Product configurations and bank certifications

Product configurations



iUC180B Standalone contactless card reader



iUC180B Standalone contactless card reader



iUR255Contact insert card reader



iUC150B Contactless card reader





iUR250 Contact insert card reader



iUP250 Pin pad

Bank certification	iUC180B	iUC180B+iUR255	iUC150B+iUR250+iUP250
Barclays	0	•	•
AIB	•	•	•
Amex		•	•
Elavon	•	0	0
HSBC	0	0	•
Worldpay NCP	0	•	•
Worldpay Generic	0	0	•





advam-sales-emea@tnsi.com | 0330 016 0337

advam.com